

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: NORMAN GOAD Operator Well No.: 607686

LOCATION: Elevation: 777.22 Quadrangle: STRANGE CREEK

District: OTTER County: CLAY

Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.

Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT PRODUCTION CO Coal Operator JERRY & IONA LEGG
1710 PENNSYLVANIA AVENUE or Owner P.O. BOX 94
CHARLESTON, WV 25302 DUCK WV 25063

Coal Operator _____
Agent CECIL RAY or Owner _____
Permit Issued Date 08/03/2011

AFFIDAVIT

STATE OF WEST VIRGINIA, KY
County of Floyd ss:

Rodney Osborne and Charles Moore being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 15TH day of AUG, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
GEL	1600	0	6 5/8" 716'	695'
CEMENT	1519	1875	8 1/4"	400'
CEMENT	1361	1195	13"	16'
CEMENT	1061	828		
CEMENT	762	616	CASING PERF WITH	TOTAL
CEMENT	540	375	OF 101 HOLES	
CEMENT	374	SURFACE		

Description of monument: STATE WITH API # (47-015-00152) 3' BELOW SURFACE @
said well was completed on the 22ND day of AUG, 2012 and that the work of plugging and filling

And further deponents said, not

Sworn and subscribed before me on 24th day of Sept, 2012

My commission expires: 04-14

Notary Public

Affidavit reviewed by the Office of Oil and Gas: _____

Title: 9/10/12

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses:

Farm name: MCKENZIE ROBERT Operator Well No.: FURR 1624 (656381)

LOCATION: Elevation: 1134' Quadrangle: GLENVILLE
District: CENTER County: GILMER
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT PRODUCTION CO Coal Operator ROBERT MCKENZIE
1710 PENNSYLVANIA AVE or Owner 2019 SMITH'S LAWN
CHARLESTON, WV 25302 CAMDEN, SC 29020
Agent REX C RAY Coal Operator _____
Permit Issued Date 03-01-2012 or Owner _____

AFFIDAVIT

STATE OF WEST VIRGINIA, KY
County of Floyd ss:

Rodney Osborne and Charles Moore being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 22nd day of Aug, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
GEL	2000	0	6 5/8" 798'	1121'
CEMENT	1982	1894		
CEMENT	1888	1585	8 1/4" 302'	679'
CEMENT	1405	1373		10" 151'
CEMENT	1260	987		
CEMENT	976	926	54 HOLES SHOT IN	6 5/8" .8 1/4" & 10"
CEMENT	851	719		

CEMENT 370 SURFACE
Description of monument: 4" SQUARE TUBING 36" ABOVE GROUND and that the work of plugging and filling said well was completed on the 4th day of Sept, 2012


And further deponents saith not.

Rodney Osborne
Charles Moore

Sworn and subscribe before me this 11th day of Sept., 2012

My commission expires: 9-26-14

Michelle Honaker
Notary Public



Affidavit reviewed by the Office of Oil and Gas: AMC Court Title: Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL & GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: Hallie Haught Operator Well No.: No. 1
Location: Elevation: 1266' Quadrangle: Fairmont West 7.5'
District: Clay County: Harrison
Latitude: _____ Feet South of: _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of: _____ Deg. _____ Min. _____ Sec.
Well Type: Oil X Gas _____ WIW _____
Company: East Resources Inc. Coal Operator NA
5260 Dupont Road or Owner _____
Parkersburg, WV 26101
Agent: Philip S. Ondrusek Coal Operator NA
or Owner _____
Permit Issued: 10/23/12

AFFIDAVIT

State of West Virginia, County of Wood ss:

Phil Ondrusek and _____ being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 25th day of October, 20 12 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2744'	2384' (Tag)	8 5/8" 0'	252'
Cement	1140'	1000'	5 1/2" 1153'	1697'
Cement	300'	0'		
6% Gel Between Cement Plugs				

Description of monument: 7" x 5' and that the work of plugging and filling said well was completed on the 5th day of November, 20 12

And further deponents saith not.

Sworn and subscribed before me this 12 day of November
My commission expires: Nov. 12 2018

Notary Public

Affidavit reviewed by the
Office of Oil and Gas:

Title:



OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
TINA L. PETHTEL
HG Energy, LLC
5260 Dupont Road
Parkersburg, West Virginia 26101
My Commission Expires

RECEIVED
OFFICE OF OIL & GAS
2012 NOV 15 P 1:11

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Nichols, Billy F. Operator Well No.: 806299
LOCATION: Elevation: 910' Quadrangle: KETTLE, WV 7.5'
District: ELK County: KANAWHA
Latitude: (N) 38.5361143
Longitude: (W) 81.4745565

Well Type: OIL _____ GAS ☒

Company CHESAPEAKE APPALACHIA, LLC Coal Operator SEE ATTACHED
PO Box 18496 or Owner _____
OKLAHOMA CITY, OK
73154-0496 Coal Operator _____
Agent ERIC B. GILLESPIE or Owner _____
Permit Issued Date 8-28-2012

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of KEANE ss:

RICHARD MOORE and GROVER BURRER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 11th day of OCTOBER, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	1904'	1750'		
CEMENT	1730'	1630'		
CEMENT	1230'	1130'	1190' OF 8 5/8"	522' OF 8 5/8"
CEMENT	930'	830'		
CEMENT	750'	650'		
CEMENT	575'	475'	210' OF 10"	300' OF 10"
CEMENT	150'	0'		

* 6% GEL BETWEEN ALL CEMENT PLUGS
Description of monument: 7" CASING 36" ABOVE GROUND w/ API TAG and that the work of plugging and filling said well was completed on the 23rd day of OCTOBER, 2012

And further deponents saith not.

Sworn and subscribe before me this 10th day of December, 2012

My commission expires 2-16-19

Affidavit reviewed by the Office of Oil and Gas: [Signature]

Title: Inspector



RECEIVED
OFFICE OF OIL & GAS
2012 DEC 3 1:10 PM
OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
Erica J. Moore
PO Box 252
Spencer, WV 25276
My Commission Expires Feb. 16, 2019

Well Number: 806299 P&A
API Number: 047-039-01434 P

COAL OWNERS

✓
Denver W. Martin
1190 Gun Barrel Road
White Post, VA 22663

Brooks F. McCabe ✓ need cert
P.O. Box 1692 OK
Charleston, WV 25326

McCabe Land Co. LTD ✓
P.O. Box 1692 W
Charleston, WV 25326

RECEIVED
Office of Oil & Gas
AUG 10 2012
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: HOWINGTON, JOEL P. Operator Well No.: 801133
LOCATION: Elevation: 742' Quadrangle: KETTLE, WV 7.5'
District: BIG SANDY County: RAUANNA
Latitude: (N) 38.5409342
Longitude: (W) 81.4194506

Well Type: OIL _____ GAS ☒

Company CHESAPEAKE APPALACHIA, LLC Coal Operator JOSEPH A. SPENCE
P.O. Box 18496 or Owner 530 22ND STREET
OKLAHOMA CITY, OK DUNBAR, WV 25064
73154-0496 Coal Operator _____
Agent ERIC B. GILLISPIE or Owner _____
Permit Issued Date 8-28-2012

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of ROANE ss:

RICHARD MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 1ST day of OCTOBER, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	DEPTH
CEMENT	1600'	1400'	3" CASING - 1580'	157' OF 3"
CEMENT	1050'	920'		
CEMENT	800'	700'	790' OF 7" CASING	75' OF 7"
CEMENT	575'	475'		
CEMENT	150'	0'		
* 6% GEL BETWEEN ALL CEMENT PLUGS				

Description of monument: 7" CASING 36" ABOVE GROUND w/ API TAG and that the work of plugging and filling said well was completed on the 9TH day of OCTOBER, 2012.

And further deponents saith not.


Sworn and subscribe before me this 10th day of DECEMBER, 2013

My commission expires FEB 16, 2019

Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Title: Deputy Clerk



STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: MCLAUGHIN THOMAS Operator Well No.: 104487(WV602012)

LOCATION: Elevation: 1061' Quadrangle: GILMER
District: COURTHOUSE County: LEWIS
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EOT PRODUCTION CO Coal Operator LYNN MONEY BENNY
1710 PENNSYLVANIA AVE or Owner 10322 US HIGHWAY 33 W
CHARLESTON WV 25302 CAMDEN, WV 26338

Agent REX C RAY Coal Operator _____
Permit Issued Date 05-17-2012 or Owner _____
RECEIVED
Office of Oil & Gas

AFFIDAVIT

JAN 08 2013

STATE OF WEST VIRGINIA, KY
County of Floyd ss:

RODNEY OSBORNE and CHARLES MOORE being first duly sworn, according to the oath of office and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 9th day of Sept, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
GEL	2900	0	3" TUBING 2080'	829'
CEMENT	2860	2495		
CEMENT	2080	1955	6 5/8" 609'	1408' PERF
CEMENT	1495	1316		
CEMENT	1007	811	10" 0	224' PERF
CEMENT	672	569		62' PERF
CEMENT	292	0		

Description of monument: 7" CASING 36" ABOVE GROUND WITH API # _____ and that the work of plugging and filling said well was completed on the 18th day of Sept, 2012

And further deponents saith not.

Charles Moore


Sworn and subscribe before me this 18th day of Sept, 2012

My commission expires: 9-26-14

Notary Public

Affidavit reviewed by the Office of Oil and Gas: Bill Hatfield

Title: oil & gas inspector



**STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL & GAS**

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.


Farm Name: James Lawson # 1		Operator Well No.: No. 8	
Location:	Elevation: 794'	Quadrangle:	Garrett's Bend 7.5'
	District: Duval	County:	Lincoln
	Latitude: _____	Feet South of: _____	Deg. _____ Min. _____ Sec. _____
	Longitude: _____	Feet West of: _____	Deg. _____ Min. _____ Sec. _____
Well Type:	Oil <input checked="" type="checkbox"/> Gas _____	WIW	_____
Company:	East Resources Inc.	Coal Operator	NA
	5260 Dupont Road	or Owner	_____
	Parkersburg, WV 26101		_____
Agent:	Philip S. Ondrusek	Coal Operator	NA
		or Owner	_____

Permit Issued:	9/26/12		

AFFIDAVIT

State of West Virginia, County of _____ Wood ss:

Mark Miller and Roger McComas being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 15th day of November 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2252'	2147 (tag)'	8 1/4" - 0	310'
Cement	1752'	1500'	6 5/8" - 284'	1280'
Cement	927'	810'	5 3/16" - 1871'	0
Cement	453'	234'		
Cement	102'	0'	No 10" casing found in well	
	Perforated 6 5/8" Casing - 4 shots, 910' - 810' , 450' - 350' .			
	Perforated 8 1/4" Casing - 4 shots, 311'-284'.			
6% Gel Between Cement Plugs				

Description of monument: 7" x 4' and that the work of plugging
and filling said well was completed on the 12th day of December, 2012 31


And further deponents saith not.

Sworn and subscribed before me this 21st day of April
My commission expires: April 26, 2020

Notary Public

**Affidavit reviewed by the
Office of Oil and Gas:**

Title:



Rev (5-01)

WR-38

DATE: 08/22/12

API#

47-049-00417

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Frank & Linda MorrisOperator Well No.: Hamilton 591

LOCATION: Elevation: 1405
District: Mannington
Latitude: Feet South of Deg. Min. Sec.
Longitude: Feet West of Deg. Min. Sec.

Quadrangle: Glover Gap
County: Marion

Well Type: OIL GAS X

Company: EQT Production Company
1710 Pennsylvania Avenue
Charleston, WV 25302

Coal Operator or Owner Agent: Steven G. PerdueCoal Operator or Owner Permit Issued Date: 8/24/2011

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Ritchie ss:

Kyle D. Perkins and Carl McQuillian being first duly sworn according to law depose and say that they have experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Bill Hendershot, Oil and Gas Inspector representing the Secretary, say that said work was commenced on the 2nd day of August, 2012, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2280	1873(tagged)	2 3/8 2354	0
Cement	1700	1600	7 1691	291
Cement	1200	1000	8 248	1399
Cement	330	surface	8" csg perfed @ 1183 1161 1140 1072 1054 1033	


Note: 6% gel placed between cement plugs

Description of monument: 7" casing extending 30" above surface
and filling said well was completed on the 22nd day of August, 2012
And further deponents saith not.

and that the work of plugging

Sworn and subscribed before me this 23rd day of August, 2012My commission expires: June 7, 2020

Notary Public

Oil and Gas Inspector: Bill Hendershot

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
CURTIS A. LUCAS
R.G. Box 4532, Parkersburg, WV 26104
My Commission Expires June 7, 2020

9-12-12

49-00564P
REVISED

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26582
Address

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26582
Address
ANNA M. MIKE
Lease or Property Owner
RT 4 BOX 24A MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26582
Complete Address
MANNINGTON 7.5'
Well Location
MANNINGTON
District
MARION
County
3931
Well No.
MIKE, ANNA M.
Farm

RECEIVED
Office of Oil & Gas

DEC 12 2012

WV Department of
Environmental Protection

STATE INSPECTOR SUPERVISING PLUGGING [Signature] 12-12-12

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE MITCHELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 14th day of August, 2012 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Removed all sucker rods from surface to 2891'. Removed all 2 3/8" tubing from surface to 2891'. Removed 5 1/2" casing from surface to 1825'. Left 297' of 5 1/2" casing in the hole from 2122' to 1825'. Cut remaining 5 1/2" casing at the following depths; 2080', 1985' and 1880'. Left 759' of 4 1/2" casing in the hole from 2122' to 2881'. Cut remaining 4 1/2" casing at the following depths; 2780', 2680', 2580', 2480', 2380', 2280 and 2180'. Removed 1535' of 7" casing from the surface to 1535'. Left 100' of 7" casing in the hole from 1535' to 1635'. Removed 935' of 8 5/8" casing from the surface to 935'. Left 311' of 8 5/8" casing in the hole from 935' to 1246'. Cut remaining 8 5/8" casing at the following depths; 1153' and 1046'. Left 192' of 10 3/4" casing in the hole from the surface to 192'. Cleaned 9 7/8" hole from the surface to 935'. Cleaned 9 7/8" hole through the Pittsburgh Coal (678' to 685'). Left 18' of 16" conductor pipe in the hole from 18' to surface.		16" Conductor	0'	18'
		10 3/4" Casing	0'	192'
		8 5/8" Casing	935'	311'
		7" Casing	1535'	100'
		5 1/2" Casing	1825'	297'
		4 1/2" Casing	0'	759'
		2 3/8" Tubing	2891'	0'
		Sucker Rods	2891'	0'
Cemented hole from 2923' back to surface as follows: From 2923' to 885' with 270 sacks of 35/65 Poz Mix Cement. From 885' to 578' with 135 sacks of Thixotropic Cement w/ green dye. From 578' to surface with 145 sacks of Econofill Cement. A total of 550 sacks of cement were used to fill the hole from 2923' to surface. Cement did circulate at the surface.				
Coal Seams	Description of Monument			
<u>PITTSBURGH</u>	<u>678' to 685'</u>	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 6th day of September, 2012

And further deponents saith not.

[Signature]
Mike Mitchell


[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 10th day of December, 2012

[Signature]
Notary Public

My commission expires:

March 18, 2020



Permit No. 47-49-00564-P
Well No. 3931

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WILLIAM C. AND VICKIE E. LUCAS
Lease or Property Owner
RR1 BOX 144 MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address

GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5356
Well No.

LUCAS, WILLIAM C. & VICKIE E.
Farm

RECEIVED
Office of Oil & Gas

DEC 12 2012

**WV Department of
Environmental Protection**

STATE INSPECTOR SUPERVISING PLUGGING *William C. Shriver* 102-10-12

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and **KEVIN WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of August, 2012 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Removed 2 3/8" tubing from the surface to 528'. Cleaned 12 1/4" hole from the surface to 249'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 249' to 528'. Removed 2 3/8" tubing from 528' to 924' with extreme difficulty. Cleaned 9 7/8" hole from 528' to top of existing 8 5/8" casing at 924'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 924' to 1561'. Tagged plug at 1561'. Removed 169' of 8 5/8" casing from 924' to 1093'. Left 450' of 8 5/8" casing in the hole from 1093' to 1543'. Cut remaining 8 5/8" casing at the following depths; 1450', 1350', 1267' and 1167'. Cleaned 9 7/8" hole from 924' to 1093'. Cleaned 9 7/8" hole through Pittsburgh Coal (1046' – 1054'). Left 20' of 16" conductor pipe in the hole from 20' to surface.	16" Conductor 8 5/8" Casing 2 3/8" Tubing	0' 169' 924'	20' 450' 0'	
Cemented hole from 1561' back to surface as follows: From 1561' to 1254' with 60 sacks of Super Lite Cement. From 1254' to 946' with 98 sacks of SuperTropic Cement with white dye. From 946' to surface with 440 sacks of Super Lite Cement. A total of 598 sacks of cement were used to fill the hole from 1561' back to surface. Cement did circulate at the surface.				
Coal Seams	Description of Monument			
<u>Pittsburgh</u>	(1046' - 1054')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 15th day of October, 2012

And further deponents saith not.

Delbert C. Moore
Delbert Moore


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 3rd day of December, 2012

Jacqueline A. Shriver
Notary Public

My commission expires:

March 18, 2020



Permit No. **47-049-02231-P**
Well No. **5356**

**STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY
OIL AND GAS WELLS DIVISION**

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

JEFFREY MICHAEL
Lease or Property Owner
P.O BOX 211 MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5258
Well No.
MICHAEL, JEFFERY
Farm

STATE INSPECTOR SUPERVISING PLUGGING *William H. [Signature]* 12-17-12

AFFIDAVIT

**STATE OF WEST VIRGINIA,
County of MONONGALIA ss:**

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 16th day of October, 2012 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/4" hole from the surface to 250'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 250' to 775'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 775' to 1312'. Tagged plug at 1312'. Cleaned 6 1/4" hole through Pittsburgh Coal (973' - 981'). Left 20' of 16" conductor pipe in the hole from 20' to surface.		16" Conductor	0'	20'
<u>Cemented hole from 1312' back to surface as follows:</u> From 1312' to 1181' with 63 sacks of Super Lite Cement. From 1181' to 873' with 124 sacks of SuperTropic Cement with white dye. From 873' to surface with 370 sacks of Super Lite Cement. A total of 557 sacks of cement were used to fill the hole from 1312' cement to surface. Cement did circulate at the surface.		<p>RECEIVED Office of Oil & Gas DEC 13 2012 WV Department of Environmental Protection</p>		
Coal Seams		Description of Monument		
Pittsburgh	(973' - 981')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at around level.		

... and that the work of plugging and filling said well was completed on the 26th day of October, 2012

And further deponents saith not.

Delbert Moore
Delbert Moore


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 5th day of December 2012

Jacqueline A. Ekren
Notary Public

My commission expires:

March 18, 2020



Permit No. 47-049-02232-P
Well No. 5258

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26582
Address

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26582
Address

CONSOLIDATION COAL COMPANY
Lease or Property Owner
1 BRIDGE ST. MONONGAH WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26582
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5065
Well No.
CONSOLIDATION COAL COMPANY
Farm

STATE INSPECTOR SUPERVISING PLUGGING *William R. ...* 12-12-12

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE MITCHELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 23rd day of October, 2012 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 318'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 318' to 1118'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1118' to 1286'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1286' to 1304'. Tagged plug at 1304'. Cleaned 9 7/8" hole through Pittsburgh Coal (747' - 754'). Left 16' of 16" conductor pipe in the hole from 16' to surface.		16" Conductor	0'	16'
RECEIVED Office of Oil & Gas DEC 13 2012 WV Department of Environmental Protection				
Coal Seams		Description of Monument		
PITTSBURGH	747' to 754'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 9th day of November, 2012

And further deponents saith not.

Mike Mitchell
Mike Mitchell


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 13 day of December, 2012

Jacqueline L. Shriver
Notary Public

My commission expires:

March 18, 2020



Permit No. 47-49-02239-P
Well No. 5065

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Hennen #37 Operator Well No.: 650091
LOCATION: Elevation: 1111' Quadrangle: Wadestown
District: Battelle County: Monongalia
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT Production Company Coal Operator Consolidation Coal Company
1710 Pennsylvania Ave. or Owner 1000 Consol Energy Dr.
Charleston, WV 25302 Canonsburg, PA 15317
Agent Rex C. Ray Coal Operator _____
Permit Issued Date 05/07/2012 or Owner _____

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Upshur ss:

Paul Jones and Tim Marsh being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 9th day of October, 2012, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2760'	2168'	3" 3000'	0'
Cement	2168'	2100'	5 3/16" 281'	0'
Gel	2100'	1660'		
Cement	1660'	1525'	No other pipe in well	
Cement	905'	796'		
Cement	200'	0'	Perforated 3" @2960' to 2950'; 2810' to 2800'; Cut 3" @ 2204' and 2117'	

Description of monument: 5" pipe 5' above ground with API # and that the work of plugging and filling said well was completed on the 9th day of November, 2012.


And further deponents saith not.

Paul Jones
Timothy R Marsh

Sworn and subscribe before me this 13th day of November, 2012

My commission expires June 12, 2016

Denise H. Pulliam
Notary Public



Affidavit reviewed by the Office of Oil and Gas: S. D. Wainwright

Title: Oil & Gas Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Hennen #37 Operator Well No.: 650091
LOCATION: Elevation: 1111' Quadrangle: Wadestown
District: Battelle County: Monongalia
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT Production Company Coal Operator Consolidation Coal Company
1710 Pennsylvania Ave. or Owner 1000 Consol Energy Dr.
Charleston, WV 25302 Canonsburg, PA 15317
Agent Rex C. Ray Coal Operator _____
Permit Issued Date 05/07/2012 or Owner _____

STATE OF WEST VIRGINIA,
County of Upshur ss:

AFFIDAVIT

Paul Jones and Tim Marsh being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 9th day of October, 2012, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2760'	2168'	3" 3000'	0'
Cement	2168'	2100'	5 3/16" 281'	0'
Gel	2100'	1660'		
Cement	1660'	1525'	No other pipe in well	
Cement	905'	796'		
Cement	200'	0'	Perforated 3" @2960' to 2950'; 2810' to 2800'; Cut 3" @ 2204' and 2117'	

Description of monument: 5" pipe 5' above ground with API # and that the work of plugging and filling said well was completed on the 9th day of November, 2012.


And further deponents saith not.

Paul Jones
Timothy R Marsh

Sworn and subscribe before me this 13th day of November, 2012

My commission expires June 12, 2016

Denise H. Pulliam
Notary Public



Affidavit reviewed by the Office of Oil and Gas: S. D. Wainwright

Title: Oil & Gas Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Six #40 Operator Well No.: 650096
LOCATION: Elevation: 1209' Quadrangle: Hundred
District: Church County: Wetzel
Latitude: Feet South of Deg. Min. Sec.
Longitude: Feet West of Deg. Min. Sec.

Well Type: OIL GAS X

Company EOT Production Company Coal Operator Consolidation Coal Company
1710 Pennsylvania Ave. or Owner 1000 Consol Energy Dr
Charleston, WV 25302 Cannonsburg, PA 15317

Agent Rex C. Ray
Permit Issued Date 09/02/2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Upshur ss:

Max Lahman and Tim Marsh being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 20th day of August, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	3190'	2965'	5 1/2" 1900'	319'
Cement	2965'	2004'	6 5/8" 1200'	1156'
Cement	1900'	1195'	8" 188'	1332'
Cement	1100'	915'		
Cement	248'	0'		
Perforated	6 5/8" @ 1725', 1717', 1625', 1615' & 8" @ 1050', 1040', 945', 935'			


Description of monument: 8" pipe 4' above ground with API#
said well was completed on the 21st day of September, 2012

And further deponents saith not.

Sworn and subscribe before me this 28th day of September, 2012

My commission expires: June 12, 2016

Affidavit reviewed by the Office of Oil and Gas:



Denise H. Pulliam
Notary Public

Title: Oil & Gas Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: CRUIKSHANK RONALD + NORMA Operator Well No.: 801381

LOCATION: Elevation: 902' Quadrangle: NEWTON, WV 7.5'
District: GEARY County: ROANE
Latitude: (N) 38.6017733
Longitude: (W) 81.2036597

Well Type: OIL ☐ GAS ☒

Company CHESAPEAKE APPALACHIA, LLC Coal Operator SEE ATTACHED
PO Box 18496 or Owner
OKLAHOMA CITY, OK
73154-0496 Coal Operator
Agent ERIC GILLISPIE or Owner
Permit Issued Date 6-4-2012

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of ROANE ss:

RICHARD MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 19TH day of SEPTEMBER, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	1750'	1550'	1779' OF 3" TUBING	0'
CEMENT	1280	1180'		
CEMENT	980'	880'	965' OF 7" CASING	684' OF 7"
CEMENT	625'	476'		
CEMENT	125'	0'		
* 6% GEL BETWEEN ALL CEMENT PLUGS				

Description of monument: 7" CASING 36" ABOVE GROUND w/ API TAG and that the work of plugging and filling said well was completed on the 27TH day of SEPTEMBER, 2012

And further deponents saith not.

Richard Moore
Grover Butler

Sworn and subscribe before me this 10 day of December, 2012

My commission expires: Feb 16, 2019



OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
Erica J. Moore
PO Box 52
Spencer, WV 25276
My Commission Expires Feb. 16, 2019

Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Title: Inspector

87.02247P

Well Number: 801381 P&A
API Number: 047-087-02247P

COAL OWNERS

Mary Reed Ward ✓
239 Main Street
P.O. Box 3
Clay, WV 25043

Clarence West ✓
469 Clay Road
Spencer, WV 25276

James W. Reed Sr. ✓
James Reed Jr. Trust
1314 Virginia Street East
Charleston, WV 25301

Judith Benton Eakle ✓
35 Fox Crest Lane
Charleston, WV 25302

Glenna L. White ✓
1617 Nantahola Blvd
Mt Pleasant, SC 29464

API # 47-8702299

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: BELFORD, MATTHEW Operator Well No.: 801045
LOCATION: Elevation: 925' Quadrangle: LOONEYVILLE, WV 7.5'
District: SMITHFIELD County: ROANE
Latitude: (N) 38.6439027
Longitude: (W) 81.3016816

Well Type: OIL _____ GAS ☒

Company CHESAPEAKE APPALACHIA, LLC Coal Operator SEE ATTACHED
PO Box 18496 or Owner _____
OKLAHOMA CITY, OK _____
93154-0496 Coal Operator _____
Agent ERIC GILLISPIE or Owner _____
Permit Issued Date 7-31-2012

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of ROANE ss:

RICHARD MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 5TH day of SEPTEMBER, 2012, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	1740'	1540'	1740' OF 2 3/8" TUBING	122' AND PACKER
CEMENT	1120'	1020'	HOLES RIPPED IN 7"	
CEMENT	950'	850'	HOLES RIPPED IN 7"	
CEMENT	700'	600'	600' OF 7" CASING	1012' OF 2"
CEMENT	150'	0'		
* 6% GEL BETWEEN ALL CEMENT PLUGS				

Description of monument: 7" CASING 36" ABOVE GROUND w/ API TAG and that the work of plugging and filling said well was completed on the 14TH day of SEPTEMBER, 2012

And further deponents saith not. Richard W. Moore

Grover Butler

Sworn and subscribe before me this 10th day of December, 2012

My commission expires: Feb 16, 2019

Notary Public



OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
Erica J. Moore
PO Box 252
Spencer, WV 25276
My Commission Expires Feb. 16, 2019

Affidavit reviewed by the Office of Oil and Gas:

Title: Inspector

87-02299P

Well Number: 801045 P&A
API Number: 047-087-02299P

COAL OWNERS

Rocky Branch Cemetery Trust Fund ✓
C/O Traders Bank
303 Main Street
Spencer, WV 25276

Mary Hively ✓
1213 Ripley Road
Spencer, WV 25276

Carrie Ella Sparr ✓
300 Colony Court
Irving, TX 75061

Harry M. Sparr ✓
RR #8 Box 164
Liberty, KY 42539

Preston G. Sparr ✓
P.O. Box 973
Pasadena, TX 77501

Vivian Teichman ✓
P.O. Box 596
Irving, TX 75060

Beryl Conant ✓
C/O Larry Conant
512 Lee Creek Road
Belleville, WV 26138

Betty Paxton ✓
1063 Highland Drive
St. Albans, WV 25177

Beulah Reynolds ✓
#3 Eastwood Drive
Parkesburg, WV 26101

Irene Jenkins ✓
#3 Eastwood Drive
Parkersburg, WV 26101

Madolyn Anderson ✓
Rt. 1 Box 36
Davisville, WV 26142

Francis Boone ✓
4801 Hazel Avenue
Parkersburg, WV 26101

Leona Moore ✓
Rt. 3, Box 329
Parkersburg, WV 26101

Eugene Pickens ✓
3021 Seven Lake
West End, NC 27376

In Trust for: Robert Conant,
Linda Conant Bennett & Larry Conant
C/O Larry R. Conant ✓
512 Lee Creek Road
Belville, WV 26133

JUL 24 2001

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm Name: JA Harris
 Location: Elevation: 1033'
 District: Smithfield
 Latitude: _____ Feet South of: _____
 Longitude: _____ Feet West of: _____
 Well Type: Oil ☒ Gas _____ WTW _____
 Company: HG Energy LLC
 5260 Dupont Road
 Parkersburg, WV 26101
 Agent: Philip S. Ondrusek
 Permit Issued: 8/28/12

Operator Well No.: No. 6
 Quadrangle: Spencer 7.5'
 County: Roane
 Deg. _____ Min. _____ Sec. _____
 Deg. _____ Min. _____ Sec. _____

Coal Operator NA
 or Owner _____
 Coal Operator NA
 or Owner _____

RECEIVED
 NA
 Office of Oil & Gas

RECEIVED
Office of Oil & Gas

~~JAN 08 2013~~

WV Department of Environmental Protection


[illegible]

And further deponents saith not.

Sworn and subscribed before me this 11 day of December
My commission expires: Nov. 12, 2018

**Affidavit reviewed by the
Office of Oil and Gas:**

Title: Inspector



Rev (5-01)

WR-38

DATE: 11/12/12

API#

47-103-00333

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Bonnie HigginsOperator Well No.: Long 1626 656386

LOCATION: Elevation: 858
District: Green
Latitude: Feet South of Deg. Min. Sec.
Longitude: Feet West of Deg. Min. Sec.

Quadrangle: Pine Grove
County: Wetzel
Deg. Min. Sec.
Deg. Min. Sec.

Well Type: OIL GAS X

Company: EQT Production Company
1710 Pennsylvania Avenue
Charleston, WV 25302

Coal Operator
or Owner Agent: Steven G. PerdueCoal Operator
or Owner Permit Issued Date: 7/24/2012

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Ritchie ss:


Kyle D. Perkins and Carl McQuillian being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Derek Haught, Oil and Gas Inspector representing the Secretary, say that said work was commenced on the 17th day of October, 2012, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2800	2600	7 625	1213
Cement	1900	1800	10 0	333
Cement	1760	1636(tagged)	No 8" csg. found	
Cement	1212	1112	7" csg perf @ 1202, 1183,	
Cement	660	460	1169, 1145, 615, 625,	
Cement	390	surface	535-525(10shots)	
Note: 6% gel placed between cement plugs				

Description of monument: 7" casing extending 30" above surface and that the work of plugging and filling said well was completed on the 8th day of October, 2012
And further deponents saith not. Kyle Perkins
Carl McQuillian

Sworn and subscribed before me this 12th day of October, 2012My commission expires: June 7, 2020

Notary Public

Oil and Gas Inspector: 

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: CLOVIS, T. J Operator Well No.: WV652281 (CLOVIS 751)

LOCATION: Elevation: 1485' Quadrangle: HUNDRED
District: CHURCH County: WETZEL
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS _____

Company EQT PRODUCTION CO Coal Operator CONSOLIDATION COAL CO
1710 PENNSYLVANIA AVE or Owner 1000 CONSOL ENERGY DR
CHARLESTON WV 25302 CANNONSBURG PA 15317

Agent REX C RAY Coal Operator _____
Permit Issued Date 09/26/2011 or Owner _____

AFFIDAVIT

STATE OF ~~WEST VIRGINIA~~, KY
County of Floyd ss:

RODNEY OSBORNE and CHARLES MOORE being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 5th day of Nov, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
GEL	1947	0		8 1/4 49'
CEMENT	1927	1598		6 5/8 1209'
CEMENT	1359	1156		
CEMENT	603	500	CASING PERF @ 1900	1850, 1800, 1750, 1725,
CEMENT	225	0	1675, 1625, 1300, 1244,	1190, 600, 550, 500,
			200, 150, 100, & 50	
			57 TOTAL PERF	


Description of monument: 4" TUBING 36" ABOVE GROUND WITH API # and that the work of plugging and filling said well was completed on the 8th day of Nov, 2012

And further deponents saith not.

Sworn and subscribe before me this 15th day of Nov, 2012

My commission expires: 9-26-14

Notary Public



Affidavit reviewed by the Office of Oil and Gas: _____

Title: Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Himmelrick Operator Well No.: 652786

LOCATION: Elevation: 1478' Quadrangle: Hundred
District: Church County: Wetzel
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT Production Company Coal Operator
1710 Pennsylvania Ave. or Owner
Charleston, WV 25302
Coal Operator
Agent Rex C. Ray or Owner
Permit Issued Date 06/19/2012

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Upshur ss:

Max Lahman and Tim Marsh being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 27th day of September, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	3265'	3069'	2" 0'	3346'
Gel	3069'	2479'	3" 0'	108'
Cement	2485'	2115'	6 5/8" 994'	1431'
Gel	2115'	2046'	10" 0'	145'
Cement	2046'	1804'		
Gel	1804'	1767'		
Cement	1767'	1655'	Additional information on the back	

Description of monument: 7" pipe 4' above ground with API #
said well was completed on the 23rd day of October, 2012.

And further deponents saith not.


Tim Marsh

Max Lahman

Sworn and subscribe before me this 25th day of October, 2012.

My commission expires: June 12, 2016

Denise H. Pulliam
Notary Public



Affidavit reviewed by the Office of Oil and Gas: _____ Title: Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Church 724 Operator Well No.: 652156

LOCATION: Elevation: 1410' Quadrangle: Hundred
District: Church County: Wetzel
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EOT Production Company Coal Operator Consolidation Coal Company
1710 Pennsylvania Ave. or Owner 1000 Consol Energy Dr.
Charleston, WV 25302 Canonsburg, PA 15317

Agent Rex C. Ray Coal Operator _____
Permit Issued Date 08/03/2011 or Owner _____

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Upshur ss:

Max Lahman and Tim Marsh being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 24th day of October, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2387'	2178'	5 1/2" 1123'	1211'
Gel	2178'	209'	8 1/4" 0'	1392'
Cement	1947'	1752'	10" 21'	138'
Cement	1664'	1550'		
Cement	1442'	1003'	Perforated 5 1/2" from 1887' to 1882'	
Cement	209'	0'		


Description of monument: 5 1/2" pipe 5' above ground with API# and that the work of plugging and filling said well was completed on the 9th day of November, 2012.

And further deponents saith not.

Max Lahman
Timothy R. Marsh

Sworn and subscribe before me this 13th day of November, 2012

My commission expires: June 12, 2016
Denise H. Pulliam
Notary Public



Affidavit reviewed by the Office of Oil and Gas: [Signature] Title: Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: LOUGH, F.S. Operator Well No.: WV655551 (LOUGH # 1302)

LOCATION: Elevation: 1,161' Quadrangle: HUNDRED

District: CLAY County: WETZEL

Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.

Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EOT PRODUCTION CO Coal Operator NATURAL RESOURCE PARTNERS
1710 PENNSYLVANIA AVE or Owner 5260 IRWIN ROAD
CHARLESTON WV 25302 HUNTINGTON WV 25705

Agent REX C. RAY Coal Operator _____
Permit Issued Date 02/09/2012 or Owner _____

AFFIDAVIT

STATE OF ~~WEST VIRGINIA~~ KY
County of Floyd ss:

RODNEY OSBORNE and CHARLES MOORE being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 29th day of Oct, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
GEL	1248	0		829' 6 5/8"
CEMENT	987	768		116' 8 1/4"
CEMENT	762	667		
CEMENT	604	430	PERF CASING @	750, 700, 679, 583,
CEMENT	220	SURFACE	533, 480, 270, 150,	100, & 50
			5 HOLES PER	INTERVAL


Description of monument: 4" CASING 36" ABOVEGROUND WITH API # and that the work of plugging and filling said well was completed on the 31st day of Oct, 2012.

And further deponents saith not.

Sworn and subscribe before me this 15th day of Nov, 2012

My commission expires: 9-26-14

Notary Public



Affidavit reviewed by the Office of Oil and Gas: _____ Title: Inspector

Rev (5-01)

WR-38

DATE: 10/08/12

API#

47-103-00797

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Coastal Lumber CoOperator Well No.: Furbee 210 650511

LOCATION: Elevation: 1197
District: Grant
Latitude: Feet South of Deg. Min. Sec.
Longitude: Feet West of Deg. Min. Sec.

Quadrangle: Big Run
County: Wetzel

Well Type: OIL GAS X

Company: EQT Production Company
1710 Pennsylvania Avenue
Charleston, WV 25302

Coal Operator
or Owner Agent: Steven G. PerdueCoal Operator
or Owner Permit Issued Date: 8/24/2011

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Ritchie ss:

Kyle D. Perkins and Carl McQuillian being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Derek Haught, Oil and Gas Inspector representing the Secretary, say that said work was commenced on the 12th day of September, 2012, and that the well was plugged and filled in the following manner:


TYPE	FROM	TO	PIPE REMOVED		LEFT
Cement	2300	2105(tagged)	3 1/2	2290	725
Cement	2100	1900	5	1891	5279
Cement	1870	1770	7	1366	481
Cement	1630	1530	8	94	1222
Cement	1370	1270	10	0	132
Cement	909	389(tagged)	Perf 3 1/2 @2900 2300		
Cement	200	Surface	Perf 8"@874 852 753 731		626 510
Note: 6% gel placed between cement plugs					

Description of monument: 7" casing extending 30" above surface and that the work of plugging
October, 2012 - Completed 10/10/12
And further deponents saith not.

Sworn and subscribed before me this 6th day of October, 2012

My commission expires: June 7, 2020

Curtis A. Lucas
Notary Public

Oil and Gas Inspector: 

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Mc CANN, ROBERT & ANDREW Operator Well No.: POTTS # 539 (651546)

LOCATION: Elevation: 1508 Quadrangle: BIG RUN
District: GRANT County: WETZEL
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EOT PRODUCTION CO Coal Operator CONSOLIDATION COAL CO
1710 PENNSYLVANIA AVE or Owner 1000 CONSOL ENERGY DR
CHARLESTON, WV 25302 CANONSBURG PA 15317
Agent REX C RAY Coal Operator _____
Permit Issued Date 05/17/2012 or Owner _____

AFFIDAVIT

STATE OF WEST VIRGINIA, KY
County of Floyd ss:

Rodney Osborne and Charles Moore being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 11th day of Oct, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
GEL	2758	0	3" TUBING 2426'	332'
CEMENT	2747	2455	6 5/8" 1247'	1157'
CEMENT	2426	2202		8 1/4" 1657'
CEMENT	2202	1885		10' 138'
CEMENT	1701	1560		
CEMENT	1297	1210		8 1/4" 7 10" PERF
CEMENT	1210	993		WITH 82 HOLES

CEMENT 210 0
Description of monument: 7" CASING WITH API # 36" ABOVE GROUND and that the work of plugging and filling said well was completed on the 25th day of Oct, 2012


And further deponents saith not.

Rodney Osborne
Charles Moore

Sworn and subscribe before me this 2nd day of Nov, 2012

My commission expires: 9-26-14

Michelle Handshoe
Notary Public



Affidavit reviewed by the Office of Oil and Gas: _____ Title: Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: YOUST, LUCINDA Operator Well No.: 5000 (605000)

LOCATION: Elevation: 1410' Quadrangle: GLOVER GAP
District: _____ County: WETZEL
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT PRODUCTION CO Coal Operator DUPONT ENERGY COAL HOLDINGS
1710 PENNSYLVANIA AVENUE or Owner 1000 CONSOL ENERGY DR
CHARLESTON, WV 25302 CANNONBURG, PA 15317
Agent REX C. RAY Coal Operator _____
Permit Issued Date 08-03-2011 or Owner _____

AFFIDAVIT

STATE OF ~~WEST VIRGINIA~~ KY
County of Floyd ss:

RODNEY OSBORNE and CHARLES MOORE being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 2th day of OCT, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
GEL	0	2930	3" 2911'	70'
CEMENT	2911	2702	6 5/8" 1068'	1167'
CEMENT	2290	1981	8 5/8" 107'	1434'
CEMENT	1827	1668	10" 40'	232'
CEMENT	1609	1485	CASING PERF @	1716, 1696, 1639
CEMENT	1134	925	1543, 1499, 320,	212, 107, 75, 50
CEMENT	340	0	63 HOLES	

Description of monument: 7" PIPE WITH API # 40" ABOVE SURFACE and that the work of plugging and filling said well was completed on the 10th day of OCT, 2012

And further deponents saith not. Rodney Osborne

Charles Moore


Sworn and subscribe before me this 22nd day of October, 2012

My commission expires: 9-26-14

Michelle Handschoke
Notary Public

Affidavit reviewed by the Office of Oil and Gas: _____

Title: Inspector



AFFIDAVIT OF PLUGGING AND FILLING WELL

~~JAN 08 2013~~

STATE OF WEST VIRGINIA,
County of Wood ss:

1/4/2012